

In the Claims:

1. (Withdrawn): A cabinet assembly, comprising:
 - a housing including a first wall having an opening disposed therein, and a second wall having at least one access port disposed therein; and
 - a module positioned within the housing and removable from the housing through the opening, the module having at least one compartment alignable with the at least one access port, wherein the at least one compartment is accessible through the second wall.
2. (Withdrawn): The assembly of Claim 1, wherein the module includes at least one slide track, and wherein the housing includes at least one roller operatively coupled to the at least one slide track.
3. (Withdrawn): The assembly of Claim 1, wherein the first and second walls are approximately orthogonal.
4. (Withdrawn): The assembly of Claim 1, wherein the at least one compartment is adapted to contain at least one of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.
5. (Withdrawn): The assembly of Claim 1, wherein the at least one access port comprises a trash receptacle, and wherein the at least one compartment is adapted to receive an article of trash.
6. (Withdrawn): The assembly of Claim 1, further comprising a device for locking the module in the housing.
7. (Withdrawn): An amenities cabinet device, comprising:


46020

CUSTOMER NUMBER

- 2 -

BING-1-1069ROA

BLACK LOWE & GRAHAM ^{PLLC}


701 Fifth Avenue, Suite 4800
Seattle, Washington 98104
206.381.3300 • F: 206.381.3301

a housing having an opening; and
a module being slideably received within the housing,
wherein the module includes a plurality of amenity compartments, and the housing
includes ports for accessing the plurality of amenity compartments included
within the module.

8. (Withdrawn): The amenities cabinet device of Claim 7, wherein the module includes at least one slide track, and wherein the housing includes at least one roller operatively coupled to the at least one slide track.

9. (Withdrawn): The amenities cabinet device of Claim 7, wherein the ports are disposed in a first wall of the housing, and wherein the opening is disposed in a second wall of the housing.

10. (Withdrawn): The amenities cabinet device of Claim 9, wherein the first and second walls are approximately orthogonal.

11. (Withdrawn): The amenities cabinet device of Claim 7, further comprising a module cart configured to transport the module.

12. (Withdrawn): The amenities cabinet device of Claim 11, wherein the module cart slideably receives the module.

13. (Withdrawn): The amenities cabinet device of Claim 11, wherein the module cart includes wheels.

14. (Withdrawn): The amenities cabinet device of Claim 7, wherein the plurality of amenity compartments are configured to store two or more of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

15. (Withdrawn): The amenities cabinet device of Claim 7, further comprising a device for locking the module in the housing.

16. (Withdrawn): A lavatory unit, comprising:

a cabinet assembly including

a housing including a first wall having an opening disposed therein, and a second wall having at least one access port disposed therein; and

a module positioned within the housing and removable from the housing through the opening, the module having at least one compartment alignable with the at least one access port, wherein the at least one compartment is accessible through the second wall.

17. (Withdrawn): The lavatory unit of Claim 16, wherein the cabinet assembly comprises an amenities cabinet device, and wherein the module includes a plurality of amenity compartments, and the housing includes ports for accessing the plurality of amenity compartments included within the module.

18. (Withdrawn): The lavatory unit of Claim 16, wherein the at least one compartment is adapted to contain at least one of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

19. (Withdrawn): The lavatory unit of Claim 16, wherein the at least one access port comprises a trash receptacle, and wherein the at least one compartment is adapted to receive an article of trash.

20. (Withdrawn): The lavatory unit of Claim 16, further comprising a device for locking the module in the housing.

21. (Currently Amended): A vehicle comprising:

a lavatory unit having a cabinet assembly that includes:

a housing including a first side wall having an opening disposed therein, ~~and a~~

~~second wall having at least one access port disposed therein; and~~

a module positioned within the housing and removable from the housing

through the opening, ~~the module having at least one compartment~~

~~alignable with the at least one access port, wherein the at least one~~

~~compartment is accessible through the second wall.~~

wherein the module includes a plurality of amenity compartments, and at least

one compartment is accessible through a second side of the housing.

22. (Cancelled)

23. (Original): The vehicle of Claim 21, wherein the at least one compartment is adapted to contain at least one of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

24. (Withdrawn): The vehicle of Claim 21, wherein the at least one access port comprises a trash receptacle, and wherein the at least one compartment is adapted to receive an article of trash.

25. (Currently Amended): An aircraft comprising:

a fuselage;

a propulsion system operatively coupled to the fuselage; and

at least one lavatory unit operatively disposed within the fuselage, the lavatory unit comprising:

a cabinet assembly that includes:

a housing including a first side wall having an opening disposed therein, ~~and a second wall having at least one access port disposed therein;~~ and

a module positioned within the housing and removable from the housing through the opening, ~~the module having at least one compartment alignable with the at least one access port, wherein the at least one compartment is accessible through the second wall.~~

wherein the module includes a plurality of amenity compartments, and at least one compartment is accessible through a second side of the housing.

26. (Cancelled)

27. (Original): The aircraft of Claim 25, wherein the at least one compartment is adapted to contain at least one of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

28. (Withdrawn): The aircraft of Claim 25, wherein the at least one access port comprises a trash receptacle, and wherein the at least one compartment is adapted to receive an article of trash.

29. (Original): The aircraft of Claim 25, wherein the at least one compartment comprises a plurality of amenity compartments configured to store two or more of a soap dispenser, a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

30. (Original): The aircraft of Claim 25, further comprising a device for locking the module in the housing.

31. (Withdrawn): A method for resupplying a lavatory in an aircraft, the method comprising:

removing a first amenities module from an amenities cabinet in the lavatory; and
inserting a second amenities module into the amenities cabinet,
wherein the first and second amenities modules include a plurality of amenity
compartments.

32. (Withdrawn): The method of Claim 31, wherein removing includes transporting the
first amenities module out of the aircraft.

33. (Withdrawn): The method of Claim 31, wherein inserting includes transporting the
second amenities module into the aircraft.

34. (Withdrawn): The method of Claim 31, wherein the first and second amenities modules
are slideably received by the amenities cabinet.

35. (Withdrawn): The method of Claim 31, wherein the plurality of amenity compartments
are configured to store two or more of a soap dispenser, a lotion dispenser, a tissue dispenser, or
a paper towel dispenser.

36. (Withdrawn): A method of providing a lavatory unit within a structure, comprising:
providing a cabinet assembly including a first wall having an opening disposed
therethrough and a second wall having at least one access port;
inserting a module into the cabinet assembly through the opening in the first wall, the
module having at least one compartment disposed therein; and
aligning the at least one compartment with the at least one access port.

37. (Withdrawn): The method of Claim 36, wherein inserting a module into the cabinet
assembly includes inserting an amenities module into the cabinet assembly, the amenities
module including a plurality of compartments adapted to contain at least one of a soap dispenser,
a lotion dispenser, a tissue dispenser, or a paper towel dispenser.

38. (Withdrawn): The method of Claim 36, wherein inserting a module into the cabinet assembly includes inserting a trash module into the cabinet assembly, and wherein the at least one compartment is adapted to receive an article of trash.

39. (Withdrawn): The method of Claim 36, wherein providing a cabinet assembly including a first wall and a second wall includes providing a cabinet assembly having a first wall that is accessible from within the lavatory unit and a second wall that is accessible from outside the lavatory unit.

40. (New): The vehicle of Claim 21, wherein the second side of the housing includes a wall with at least one port disposed therein, and at least one compartment of the module is alignable with at least one access port and accessible through at least one access port.

41. (New): The aircraft of Claim 25, wherein the second side of the housing includes a wall with at least one access port disposed therein, and at least one compartment of the module is alignable with at least one access port and accessible through at least one access port.